



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

<p>FL #</p> <p>Application Type</p> <p>Code Version</p> <p>Application Status</p> <p>Comments</p> <p>Archived</p>	<p>FL8338-R1</p> <p>Revision</p> <p>2007</p> <p>Approved</p> <p><input type="checkbox"/></p>				
<p>Product Manufacturer</p> <p>Address/Phone/Email</p>	<p>Lawson Industries</p> <p>8501 NW 90th Street</p> <p>Medley, FL 33166</p> <p>(305) 696-8660 Ext 226</p> <p>tom@lawson-industries.com</p>				
<p>Authorized Signature</p>	<p>Thomas Sotos</p> <p>tom@lawson-industries.com</p>				
<p>Technical Representative</p> <p>Address/Phone/Email</p>	<p>Thomas J Sotos</p> <p>Lawson Industries</p> <p>8501 NW 90th Street</p> <p>Medley, FL 33166</p> <p>(305) 696-8660</p> <p>tom@lawson-industries.com</p>				
<p>Quality Assurance Representative</p> <p>Address/Phone/Email</p>	<p>Joe Thiry</p> <p>8501 NW 90th St</p> <p>Medley, FL 33166</p> <p>(305) 696-8660 Ext 282</p> <p>jthiry@lawsonwindows.com</p>				
<p>Category</p> <p>Subcategory</p>	<p>Exterior Doors</p> <p>Sliding Exterior Door Assemblies</p>				
<p>Compliance Method</p>	<p>Certification Mark or Listing</p>				
<p>Certification Agency</p> <p>Validated By</p>	<p>Miami-Dade BCCO - CER</p> <p>Miami-Dade BCCO - VAL</p>				
<p>Referenced Standard and Year (of Standard)</p>	<table border="0"> <thead> <tr> <th style="text-align: left;"><u>Standard</u></th> <th style="text-align: left;"><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>TAS 202</td> <td>1994</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	TAS 202	1994
<u>Standard</u>	<u>Year</u>				
TAS 202	1994				
<p>Equivalence of Product Standards</p> <p>Certified By</p>					

Product Approval Method

Method 1 Option A

Date Submitted

12/15/2009

Date Validated

01/07/2010

Date Pending FBC Approval

01/08/2010

Date Approved

02/02/2010

Summary of Products		
FL #	Model, Number or Name	Description
8338.1	9000 Sliding Glass Door	9000 Non-Impact Sliding Glass Door with no reinforcement.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +60/-60 Other: For use outside HVHZ Design Pressures are for: 2 panel, 9' height: +44.3/-44.3. 2 panel, 8' height: +43/-43. 3 or more panels, 6'-8" height: +40.9/-40.9 3 or more panels, 8' height: +42.9/-42.9		Certification Agency Certificate FL8338_R1_C_CAC_09-0706-07.pdf Quality Assurance Contract Expiration Date 08/26/2012 Installation Instructions FL8338_R1_II_09-0706-07.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
8338.2	9000 Sliding Glass Door	9000 Non-Impact Sliding Glass Door with light steel reinforcement.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +63/-73 Other: For use outside HVHZ Design Pressures are for: 9' high panels: +39.8psf/-39.8psf 6'-8" and 8' high panels: +49.7psf/-49.7psf		Certification Agency Certificate FL8338_R1_C_CAC_09-0706-06.pdf Quality Assurance Contract Expiration Date 08/26/2012 Installation Instructions FL8338_R1_II_09-0706-06.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
8338.3	9000 Sliding Glass Door	9000 Non-Impact Sliding Glass Door with heavy steel reinforcement.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +77/-81 Other: For use outside HVHZ Design Pressures for all panel heights are: +46.7/-46.7		Certification Agency Certificate FL8338_R1_C_CAC_09-0706-08.pdf Quality Assurance Contract Expiration Date 08/26/2012 Installation Instructions FL8338_R1_II_09-0706-08.pdf Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: Yes Evaluation Reports Created by Independent Third Party:

[Back](#)

[Next](#)

[DCA Administration](#)

Department of Community Affairs
Florida Building Code Online
Codes and Standards

2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2010 The State of Florida. All rights reserved.

[Privacy Statement](#) | [Copyright Statement](#) | [Accessibility Statement](#) | [Plug-in Software](#) | [Customer Service Survey](#) | [Contact Us](#)

Product Approval Accepts:

